ZONE

Zone Imaging Ltd. Safety Data Sheet 510 Pyro Film Developer

According to Regulation (EC) No 1907/2006, Annex II, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name 510 Pyro

Product number 5060594641008, 5060594641015

Container size 100ml, 500ml

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Photographic Developer Solution

Other uses None

1.3. Details of the supplier of the safety data sheet

Supplier Zone Imaging Ltd., Unit 6, 58b Alexandra Road, Enfield, London,

EN3 7EH, UK

Tel +4477 6099 6515

Email info@zoneimaging-photochemicals.co.uk

Emergency tel +4477 6099 6515

Toll free number (US) 877 817 4320

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Product definition: Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Acute toxicity 4: H302

Acute toxicity 4: H312

Acute toxicity 4: H332

Skin Irritant 2: H315

Skin Sensitiser 1: H317

Eye Damage 2: H319

Mutagen 2: H341

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the hazard statements declared above.

2.2. <u>Label elements</u>

Pictograms





Signal word Warning

Hazard statements H302 – Harmful if swallowed. Acute tox. 4

H312 – Harmful if in contact with skin. Acute tox. 4

H332 – Harmful if inhaled. Acute tox. 4

H315 – Causes skin irritation. Skin irritation 2

H317 – May cause an allergic skin reaction. Skin sens. 1

H319 – Causes serious eye irritation. Eye dam. 2

H341 – Suspected of causing genetic defects. Muta. 2

Precautionary statements

General Not Applicable

Prevention P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read

and understood.

Valid from 28/09/2023

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands and equipment thoroughly after handling.

P270: Do not eat/drink/smoke when using this product.

P271: Use outdoors or in a well-ventilated area.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

Response

P308+P313 IF exposed or concerned: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of water

P304+P340 IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P362 Take off contaminated clothing and +wash it before reuse.

Storage P405 Store locked up.

Disposal P501 Dispose of contents/container in accordance with local

regulations.

N/A

Hazardous ingredients Pyrogallol

1-phenyl-3-pyrazolidone (Phenidone A)

Annex XVII – Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

2.3. Other Hazards

Other hazards which do not result in classification

None

SECTION 3: Composition/information on ingredients

3.1. Mixture of the substances listed below with harmless additions

Substance name	Identifiers	% w/w	Hazards	Type
Triethanolamine	CAS# 102-71-6 EC# 203-049-8 REACH# 01-2119486482- 31	80 - 100	Not classified	2
Pyrogallol	CAS# 87-66-1 EC# 201-762-9 REACH# 01-2120771401- 62	10 - 15	Acute Tox 4 H302 Acute Tox 4 H312 Skin Irrit 2 H315 Skin Sens 1 H317 Eye Dam 2 H319 Acute Tox 4 H332 Muta 2 H341 Aq Tox Chr 3 H412	1
L-Ascorbic Acid	CAS# 50-81-7 EC# 200-066-2	5 - 10	Not classified	2
1-phenyl-3- pyrazolidone (Phenidone A)	CAS# 92-43-3 EC# 202-155-1 REACH# 01-212011875-53	0.1 - 0.5	Acute Tox. 4 H302 Aquatic Chr. Tox. 2 H411	1

Type: 1. Hazardous Substance

2. Substance with a workplace exposure limit

SECTION 4: First aid measures

4.1. <u>Description of first aid measures</u>

General information Instantly remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours;

therefore, ensure medical observation for at least 24 hours after the

accident.

Inhalation Loosen clothing as necessary and position individual in a

comfortable position exposed to fresh air. Give artificial respiration if

necessary. If breathing is difficult, give oxygen. Get medical

assistance if cough or other symptoms appear.

Ingestion Remove victim immediately from source of exposure. Rinse mouth

thoroughly. Drink a few glasses of water. Do not induce vomiting. If

Valid from 28/09/2023

vomiting occurs, the head should be kept low so that stomach vomit

doesn't enter the lungs. Get medical attention.

Skin contact Remove affected person from source of contamination. Remove

contaminated clothing. Wash skin thoroughly with soap and water.

Contact physician if irritation continues.

Eye contact Remove affected person from source of contamination. Remove any

contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after

washing.

4.2. Most important symptoms and effects, both acute and delayed

Headache. Nausea. Shortness to breath. Irritating to eyes. May cause skin and respiratory irritation. May cause an allergic skin reaction. May cause gastrointestinal irritation, vomiting and diarrhoea. May cause adverse liver and kidney effects.

4.3. <u>Indication of any immediate medical attention and special treatment needed</u>

Notes for the doctor Provide SDS document. Doctor should treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Carbon dioxide, dry chemical powder, water spray.

Unsuitable extinguishing media Not available

5.2. Special hazards arising from the substance or mixture

Specific risks None, this product is non-flammable nor explosive.

Hazardous combustion products Thermal decomposition or combustion products may include

carbon and nitrogen oxides and other toxic vapours.

5.3. Advice for firefighters

Protective actions during firefighting Avoid breathing fire gases or vapours.

Special protective equipment Wear protective eyewear, gloves and clothing. Use NIOSH

approved respiratory protection/breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes. Provide adequate

ventilation. For personal protection, see Section 8.

Environmental precautions

Environmental precautions Inform respective authorities in case product reaches water or

sewage system. Do not discharge into drains or watercourses

or onto the ground. Collect and dispose of spillage as

indicated in Section 13.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Wear protective clothing, gloves, eye and face protection.

Small Spillages: Flush away spillage with plenty of water. Large Spillages: Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or

watercourses.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Provide adequate ventilation. Avoid spilling. Avoid contact

with skin and eyes. Do not eat, drink, or smoke when using

this product. Read and follow manufacturer's

recommendations.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container away from light

and somewhere dry. Storage advice to ensure the product remains in a useable condition throughout its specified shelf life: Store at temperatures above 10°C. Store at temperatures

not exceeding 30°C.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section

1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters: Occupational exposure limits

TRIETHANOLAMINE

CAS# 102-71-6

Long-term exposure limit (8-hour TWA): WEL 5mg/m3

ASCORBIC ACID

CAS# 50-81-7

Long-term exposure limit (8-hour TWA): WEL 15mg/m3

8.2. Exposure controls

Protective equipment







Appropriate engineering controls

Provide adequate ventilation. This product must not be handled in a confined space without adequate ventilation.

Eye/face protection

Tightly sealed safety glasses or face shield.

Hand protection

Use protective gloves. The protective gloves to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN 374. Only use chemical-protective gloves with CE-labelling of category III.

Avoid contact with used gloves.

Recommended material of gloves: Nitrile rubber, butyl rubber. Recommended thickness of the material: >= 0.5 mm

Other skin and body protection

Wear suitable protective clothing as protection against

splashing or contamination.

Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Viscous liquid

Colour Amber, aged is a deep brown to black

Odour Slightly sweet

pH @20°C Concentrated solution: N/A

Working solution (1:100): 9.5

Valid from 28/09/2023

Relative density/specific gravity 1.16 @20°C

Initial boiling point and range >300°C @ 760 mm Hg

Initial freezing point and range <7°C @760mm Hg

Flash point (closed cup) >93.33°C

Auto-ignition temperature This product is not self-igniting.

Explosive properties This product is non-explosive.

Solubility Miscible

Additional property Hygroscopic

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity See the other subsections of this section for further details.

10.2. <u>Chemical stability</u>

Stability Stable under the prescribed storage conditions. No stability

concerns.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Under normal conditions of storage and use, no hazardous

reactions will occur.

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time.

Avoid contact with acids.

10.5. <u>Incompatible materials</u>

Materials to avoid Strong acids. Avoid contact with other photographic

solutions and/or cleaning compounds.

10.6. <u>Hazardous decomposition products</u>

Hazardous decomposition products Thermal decomposition or combustion products may include

the following substances: oxides of carbon, sodium and

nitrogen.

SECTION 11: Toxicological information

11.1. <u>Information on toxicological effects</u>

Toxicological effectsThis chemical formulation has not been tested for health

effects. Exposure effects listed are based on existing health

Valid from 28/09/2023

data for the individual components that comprise the

mixture.

Germ cell mutagenicity The product contains a substance that is classified as:

Suspected of causing genetic defects.

Carcinogenicity The product contains no carcinogenic substances.

Reproductive toxicity No data available.

Specific target organ toxicity STOT - single exposure: No data available.

STOT – repeated exposure: No data available.

Acute and chronic health hazards Prolonged or repeated exposure may cause severe irritation.

May cause skin irritation/eczema. May cause sensitisation by skin contact. Irritating to eyes. Vapour or spray in the eyes may cause irritation and smarting. May cause allergy. May

cause hypersensitivity.

Acute toxicity LD/LC50 values that are relevant for classification: Pyrogallol				
Triethanolamine				
Oral	LD50	6,400 mg/kg (rat)		
L-Ascorbic Acid				
Oral	LD50	11900 mg/kg (rat)		
1-phenyl-3-pyrazolidone (Phenidone A)				
Oral	LD50	300 mg/kg (rat)		

SECTION 12: Ecological Information

12.1. Toxicity

Toxicity The product contains a substance which is harmful to aquatic

organisms.

PYROGALLOL

Acute toxicity – fish LC50, 96 hours: 41.8 mg/l, Danio rerio (zebra fish)

Acute toxicity – aquatic invertebrates EC50, 24 hours: 47.8 mg/l, Daphnia magna (Water flea)

Acute toxicity – algae No data available

Acute toxicity – bacteria EC50, 16 hours: 3.8 mg/l, Pseudomonas putida

TRIETHANOLAMINE

Acute toxicity – fish LC50, flow-through test - 96 hours: 11,800 mg/l, Pimephales

promelas (fathead minnow)

Valid from 28/09/2023

Acute toxicity – aquatic invertebrates EC50, static test – 48 hours: 609.88 mg/l, Ceriodaphnia

dubia (water flea)

Acute toxicity – algae ErC50, static test - 72 hours: 216 mg/l, Desmodesmus

subspicatus (green algae)

Acute toxicity – bacteria IC50, static test - 3 hours activated sludge: > 1,000 mg/l

L-ASCORBIC ACID

Acute toxicity – fish LC50, 96 hours: 1,020 mg/l, Oncorhynchus mykiss (rainbow

trout)

Acute toxicity – aquatic invertebrates EC50, 48 hours: 360 mg/l, Daphnia magna (Water flea)

Acute toxicity – algae IC50, 72 hours: 1,750 mg/l, Desmodesmus subspicatus

(green algae)

Acute toxicity – bacteria EC50, 16 hours: 140mg/l, Pseudomonas putida

1-PHENYL-3-PYRAZOLIDONE (PHENIDONE A)

Acute toxicity – fish No data available

Acute toxicity – aquatic invertebrates EC50, 48 hours: 6.25 mg/l, Daphnia magna (Water flea)

Acute toxicity – algae No data available

Acute toxicity – bacteria EC50, 5 min: 3.02 mg/l, photobacterium phosphoreum

12.2. Persistence and degradability

Persistence and degradabilityTriethanolamine is rapidly biodegradable. L-ascorbic acid

and pyrogallol are readily biodegradable. 1-phenyl-3-pyrazolidone (Phenidone A) is inherently biodegradable.

12.3. Bioaccumulation

Bioaccumulation No data available. Unlikely as product is soluble in water.

12.4. <u>Mobility in soil</u>

Mobility in soil Product is soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as

PBT or vPvB.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Valid from 28/09/2023

Disposal methodsUsed, diluted, and spent solutions may be allowed to be

discharged to sanitary sewer by permit IF allowed by local regulations. Consult your local authority for advice. Waste may have to be pre-treated before discharge. Consult local authorities before discharging any waste to sewer. Waste that cannot be discharged to sewer may have to be handled by a

licensed hazardous waste contractor.

Waste class 09 01 01

SECTION 14: Transport information

Not regulated for all modes of transportation.

UN Number (ADR/RID, IMDG,	N/A
IATA)	
UN Proper Shipping Name	Not applicable
(ADR/RID, IMDG, IATA)	
Transport Hazard Class(es)	
ADR/RID, IMDG, IATA	None
Packing group (ADR/RID, IMDG,	Not applicable
IATA)	
Environmental hazards	None
Special precautions for user	None
Transport in bulk according to	Not applicable
Annex	
II of MARPOL73/78 and the IBC	
Code	
Transport/Additional Information	These substances when transported in single or
	combination packaging contains a net quantity
	per single or inner packaging of 51 or less for
	liquids are not subject to any other provisions of
	these regulations provided the packaging meet
	the general.
	See the following notes:
ADR/RID	Goods are not subject to the provisions in
7.50	accordance with the special provision 375 ADR.
IMDG	Goods are not subject to the provisions in
TA TO A	accordance with 2.10.2.7 IMDG-Code.
IATA	Goods are not subject to the provisions in
	accordance with the special provision 197 IATADGR.

SECTION 15: Regulatory information

15.1. <u>Safety, health and environmental regulations/legislation specific for the substance or mixture</u>

EU legislation Regulation (EC) No 1907/2006 of the European Parliament

and of the Council of 18 December 2006 concerning the

Valid from 28/09/2023

Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments.

Guidance

Workplace Exposure Limits EH40.

Worksafe Australia NOHSC 2012: Labelling of workplace substances.

Australian Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).

Australian Approved Criteria for Classifying Hazardous Substances (NOHSC 1008).

Australian List of Designated Hazardous Substances (NOHSC 10005).

Australian National Code of Practice for the Preparation of Material safety Data Sheets (NOHSC 2011)

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

General information

Zone Imaging Ltd believe the information and recommendations contained herein are based on correct and factual data. However, no express or implied guarantee or warranty of any kind is made with respect to this information. Use this information only to supplement other information you have gathered and then make an independent determination about the completeness and suitability of all information to ensure the proper use and disposal of this product and the health and safety of employees and customers.

Issued by

Zone Imaging Ltd., Unit 6, 58b Alexandra Road, Enfield. London, EN3 7EH, UK

Tel: +447 7609 965 15

Email: james.lane@zoneimaginglab.co.uk

www.zoneimaging-photochemicals.co.uk

Publication date: 21/10/2021

Revision date: 28/09/2023

Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road (Accord Européen sur le Transport des Marchandises Dangereuses par Route)

RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EC: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration at which 50% of the animals will be expected to die.

LD50: Lethal dose at which 50% of the animals will be expected to die.

EC50: Effective concentration of test substance which results in a 50 percent reduction in either algae growth (EbC50) or algae growth rate (ErC50) or Daphina immobilization.

Hazard statements in full

H302 – Harmful if swallowed. Acute tox. 4

H312 – Harmful if in contact with skin. Acute tox. 4

H332 – Harmful if inhaled. Acute tox. 4

H315 – Causes skin irritation. Skin irritation 2

H317 – May cause an allergic skin reaction. Skin sens. 1

H319 – Causes serious eye irritation. Eye dam. 2

H341 – Suspected of causing genetic defects. Muta. 2